

UNCLASSIFIED

AD 409 011

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGED BY DDC
AS AD No. **409011**

409 011

N-63-4-2

EDGEWORTH-ALLOCATIONS IN AN
EXCHANGE ECONOMY WITH
MANY TRADERS*


BY
KARL VIND

TECHNICAL REPORT NO. 13
JUNE, 1963

PREPARED UNDER CONTRACT Nonr-222(77)
(NR-047-029)

FOR
OFFICE OF NAVAL RESEARCH

* This research was supported in part by the Office of Naval Research under Contract ONR 222(77) with the University of California. Reproduction in whole or in part is permitted for any purpose of the United States Government.



CENTER FOR RESEARCH IN MANAGEMENT SCIENCE
UNIVERSITY OF CALIFORNIA
Berkeley 4, California

EDGEWORTH-ALLOCATIONS IN AN
EXCHANGE ECONOMY WITH
MANY TRADERS*

BY
KARL VIND

TECHNICAL REPORT NO. 13
JUNE, 1963

PREPARED UNDER CONTRACT Nonr-222(77)
(NR-047-029)

FOR
OFFICE OF NAVAL RESEARCH

* This research was supported in part by the Office of Naval Research under Contract ONR 222(77) with the University of California. Reproduction in whole or in part is permitted for any purpose of the United States Government.

CENTER FOR RESEARCH IN MANAGEMENT SCIENCE
UNIVERSITY OF CALIFORNIA
Berkeley 4, California

EDGEWORTH-ALLOCATIONS IN AN EXCHANGE
ECONOMY WITH MANY TRADERS¹

by

Karl Vind

1. INTRODUCTION

In recent papers, Scarf [5], Debreu [2], Debreu and Scarf [3], and Aumann [1], have defined and characterized the core of an economy. The economy is a pure trade economy, i.e., an economy where a set of consumers possesses initially certain quantities of the commodities. The trade is simply a reallocation of the commodities.² We assume that the consumers have preference relations. An allocation is by definition in the core or an Edgeworth-allocation if no group of consumers can combine and reallocate their initial allocation in such a way that all consumers in the group prefer the new allocation.

When an allocation is an Edgeworth-allocation, it means in particular that none of the individual consumers prefer their initial allocation. At the other extreme it means that the set of all consumers cannot reallocate in such a way that

¹This paper was written while the author was a Rockefeller fellow at the University of California, Berkeley. Professor Debreu has made many useful comments to earlier versions. Preparation of the manuscript was supported by the Office of Naval Research under Contract ONR 222(77) with the University of California.

²Debreu and Scarf [3] also treat a case where production is possible.

everybody is made better off. An Edgeworth-allocation is thus a special case of a Pareto-optimal allocation. Given an Edgeworth-allocation, it is not only impossible for the individual consumer or the set of all consumers to get a better allocation, it is also impossible for any subset of consumers to combine and get a better allocation by reallocating this subset's initial allocation.

Scarf has "rediscovered" the problem after the original treatment by Edgeworth and has proved [5] that if we let the number of consumers increase in a very special way, then the set of Edgeworth-allocations will in the limit be the competitive allocations. Debreu [2] and Debreu and Scarf [3] have simplified the proof and extended the applicability of this result. Aumann [1] has shown that, if we have a continuum of consumers and all the individual consumers are unimportant, then Edgeworth-allocations will, under certain conditions, be competitive allocations.

In this paper we define a non-atomic exchange economy; in intuitive terms this is an economy with no production and many small traders. The set of values of the net trade for all possible subsets of consumers in such an economy has some very useful properties (Theorem 1); and the set of values of the net trade for all possible subsets of consumers with allocations preferred to any given allocation is a convex set (Theorem 2). Theorem 2 is a consequence of a general mathematical lemma, which may have independent interest. This lemma is stated and proved in an appendix.

These surprisingly simple and general results are applied in Theorem 3 to give a result comparable to Aumann's theorems.

In order to simplify the reading, there is on page 19 a summary of the definitions and interpretations of the concepts used.

II. THE ECONOMY

The economy consists of a set C of consumers and a finite set of ℓ commodities. Some subsets of C will be coalitions. Let \mathcal{C} denote the set of all possible coalitions. We assume that this system of subsets \mathcal{C} has the following properties:

- (a) $C \in \mathcal{C}$; (the set of all consumers form a coalition).
- (b) $A \in \mathcal{C}$ and $B \in \mathcal{C}$ implies that $A \setminus B \in \mathcal{C}$ (if A and B are two coalitions, the set of consumers in coalition A but not in coalition B is also a coalition).
- (c) $A \in \mathcal{C}$ and $B \in \mathcal{C}$ implies that $A \cap B \in \mathcal{C}$; (if A and B are coalitions, the set of consumers in both A and B also forms a coalition).
- (d) $A \in \mathcal{C}$ and $B \in \mathcal{C}$ implies that $A \cup B \in \mathcal{C}$. (The union of two coalitions is a coalition.)
- (e) $A_j \in \mathcal{C}$ for $j = 1, 2, \dots$, implies that $\bigcup_{j=1}^{\infty} A_j \in \mathcal{C}$; (the union of denumerably many coalitions is a coalition).

When a system of subsets has the properties (a)-(d), it is called a field. If it also has the property (e), it is called a σ -field. We will in the following assume that \mathcal{C} is a σ -field of subsets of C . (The properties listed do not form a minimal set of axioms for fields or σ -fields; e.g., property (c) is implied by the other properties.)

ℓ is the number of commodities, and Ω is the non-negative orthant of R^ℓ , the ℓ -dimensional Euclidean space. Ω will be called the commodity space.

An allocation is a function defined on \mathcal{C} with values in Ω . The function $\alpha = (\alpha_1, \alpha_2, \dots, \alpha_\ell)$ gives to any coalition $A \in \mathcal{C}$ an allocation $\alpha(A)$, which is a point in the commodity space. We will include the following properties in the definition of an allocation:

- (1) α is defined on \mathcal{C} and has values in Ω .
- (2) $\alpha(A \cup B) = \alpha(A) + \alpha(B)$ for $A \cap B = \phi$. (For two coalitions with no consumers in common, the amount of commodities in the allocation for the union is the sum of the allocations.)
- (3) $\alpha(\bigcup_{i=1}^{\infty} A_i) = \sum_{i=1}^{\infty} \alpha(A_i)$ for $A_i \cap A_j = \phi$, $i \neq j$.
(This is condition (2) extended to the union of denumerably many coalitions.)

The set of all allocations will be denoted \mathcal{A} . Property 1 means that α is a vector-valued set function, 2 means that α is additive, and 3 that α is σ -additive. \mathcal{A} is then the set of all σ -additive set functions defined on \mathcal{C} with values

in Ω . A σ -additive set function with values in Ω is a finite vector-measure, so any $\alpha \in \mathcal{A}$ is a finite vector measure. We will also need the set of all σ -finite vector measures $\bar{\mathcal{A}}$. For an $\alpha \in \bar{\mathcal{A}}$ we may have $\alpha_1(A) = +\infty$, but in that case there will exist a partitioning of A ; $\bigcup A_j = A$ such that $\alpha_1(A_j) < +\infty$. ($A \in \bar{\mathcal{A}}$.)

The initial allocation ι is an element in \mathcal{A} . In order to avoid trivial cases we will assume $\iota_1(C) > 0$ for $i = 1, 2, \dots, l$. The economy we want to treat is a pure trade economy so the final allocation must be a reallocation of the initial allocation; i.e., if α is a final allocation, we must have $\alpha(C) = \iota(C)$. The set of allocations α with $\alpha(C) = \iota(C)$ will be denoted \mathcal{B} and will be called the set of possible allocations.

A subset $A \in \mathcal{C}$ is an atom with respect to α if $\alpha(A) \neq 0$ and if $A \supseteq B \in \mathcal{C}$ implies that $\alpha(B) = 0$ or $\alpha(B) = \alpha(A)$. The subsets of A have either no allocation or the same allocation as A . One way of expressing the intuitive idea that the economy consists of many small consumers is to assume that \mathcal{C} does not contain any atoms with respect to ι . This assumption implies that any coalition A with $\iota(A) \neq 0$ can be divided into smaller coalitions with an initial allocation between $\iota(A)$ and 0. If \mathcal{C} does not contain any atoms with respect to α , we call α non-atomic; the set of all non-atomic allocations will be denoted \mathcal{A}_0 . The set of all non-atomic σ -finite vector measures will be denoted $\bar{\mathcal{A}}_0$. ($\mathcal{A}_0 \subset \bar{\mathcal{A}}_0 \subset \bar{\mathcal{A}}$.) The

assumption that $\iota \in \mathcal{A}_0$, will be part of the definition of a non-atomic economy. An allocation α in both \mathcal{A}_0 and \mathcal{B} will be non-atomic and have $\alpha(C) = \iota(C)$; the set of all such allocations will be denoted \mathcal{B}_0 .

From the definitions, we immediately get $\mathcal{B}_0 = \mathcal{A}_0 \cap \mathcal{B}$; $\mathcal{A} \supset \mathcal{A}_0 \supset \mathcal{B}_0$ and $\mathcal{A} \supset \mathcal{B} \supset \mathcal{B}_0$. For any $\alpha \in \mathcal{B}$ we have $\alpha(A) \in U = \{x \mid 0 \leq x_1 \leq \iota_1(C)\}$ for all $A \in \mathcal{C}$. For any $\alpha \in \mathcal{A}$ we will denote the range of α by $\mathcal{R}(\alpha)$. $\mathcal{R}(\alpha) = \{x \mid x = \alpha(A); A \in \mathcal{C}\}$ is for $\alpha \in \mathcal{B}$ a subset of U . When α and β are elements in \mathcal{A} , (α, β) is a vector measure with values in $\mathbb{R}^{2\ell}$. The range of this measure will be denoted $\mathcal{R}(\alpha, \beta)$. The difference $\alpha(A) - \iota(A)$ is a vector in \mathbb{R}^ℓ , where the coordinates indicate the net trade of coalition A when the allocation is α . The range of the net trade is of great importance, so we define $\mathcal{R}(\alpha - \iota) = \{x \mid x = \alpha(A) - \iota(A); A \in \mathcal{C}\}$.

The following lemma gives some properties of the sets $\mathcal{R}(\alpha)$, $\mathcal{R}(\alpha, \beta)$ and $\mathcal{R}(\alpha - \iota)$ for non-atomic allocations.

LEMMA 1. Let α , β and ι be elements in \mathcal{A}_0 , then $\mathcal{R}(\alpha)$, $\mathcal{R}(\alpha, \beta)$ and $\mathcal{R}(\alpha - \iota)$ are closed, convex and symmetric around $\frac{1}{2} \alpha(C)$, $\frac{1}{2} (\alpha(C), \beta(C))$ and $\frac{1}{2} (\alpha(C) - \iota(C))$, respectively. $\mathcal{R}(\alpha)$ contains the closed segment $[0, \alpha(C)]$, $\mathcal{R}(\alpha, \beta)$ contains the closed segment $[0, (\alpha(C), \beta(C))]$, $\mathcal{R}(\alpha - \iota)$ contains the closed segment $[0, \alpha(C) - \iota(C)]$.

Proof: That $\mathcal{R}(\alpha)$, $\mathcal{R}(\alpha, \beta)$ and $\mathcal{R}(\alpha - \iota)$ are closed and convex follows from a theorem proved by Lyapunov (1940); see Halmos [4], p. 421. The theorem can be formulated: The range of a non-atomic (signed) vector-measure is convex and closed. $\alpha - \iota$ is the difference between two finite measures and therefore a signed measure. When α , β and ι are non-atomic, (α, β) and $\alpha - \iota$ are also non-atomic. (If A is an atom for (α, β) , it is an atom for α or β ; if A is an atom for $\alpha - \iota$, we can apply Lemma B in the appendix with $(\alpha, \iota) = \mu$ and $\alpha - \iota = \nu$ to get a $B \subseteq A$ with $\alpha(B) - \iota(B) = \alpha(A) - \iota(A)$ and $(\alpha(B), \iota(B)) = (0, 0)$, and this is clearly a contradiction, so $\alpha - \iota$ is non-atomic.) Therefore Lyapunov's theorem can be applied. ϕ and C are elements in \mathcal{L} and $\mathcal{R}(\alpha)$, $\mathcal{R}(\alpha, \beta)$ and $\mathcal{R}(\alpha - \iota)$ are convex; therefore, the closed segments in the lemma are contained in $\mathcal{R}(\alpha)$, $\mathcal{R}(\alpha, \beta)$ and $\mathcal{R}(\alpha - \iota)$, respectively.

If $x = \alpha(A) \in \mathcal{R}(\alpha)$, then $\alpha(C \setminus A) = \alpha(C) - x = y \in \mathcal{R}(\alpha)$; $x + y = \alpha(C)$ and $\mathcal{R}(\alpha)$ is therefore symmetric around $\frac{1}{2} \alpha(C)$. The proofs for $\mathcal{R}(\alpha, \beta)$ and $\mathcal{R}(\alpha - \iota)$ are analogous.

For any measure defined on \mathcal{L} we can define the restriction to A of the measure; if for instance α is an allocation, then α^A — the restriction of α to A — is defined by

$$\alpha^A(B) = \begin{cases} \alpha(B) & \text{for } B \subseteq A \text{ and } B \in \mathcal{L} \\ \text{not defined} & \text{otherwise.} \end{cases}$$

In some of the later proofs we need the following

Corollary. Lemma 1 applies also to the restrictions of α , (α, β) and $\alpha - \iota$ to a coalition A (with C changed to A).

Proof. The restriction of a finite non-atomic (signed) measure is also a finite non-atomic (signed) measure, so the same proof applies.

It will be useful to have explicitly the properties of $\mathcal{R}(\alpha-\iota)$ for $\alpha \in \mathcal{B}_0$.

THEOREM 1. When $\alpha \in \mathcal{B}_0$, $\mathcal{R}(\alpha-\iota)$ is closed, convex and symmetric around 0. $\mathcal{R}(\alpha-\iota)$ is contained in a proper subvector-space if and only if 0 is not an interior point in $\mathcal{R}(\alpha-\iota)$.

Proof. The first part is a repetition of Lemma 1 with $\alpha(C)-\iota(C) = 0$. If x is interior in $\mathcal{R}(\alpha-\iota)$, then $-x$ is interior (symmetry) and $0 = \frac{1}{2}(x-x)$ is interior (convexity). 0 not interior implies therefore that no points are interior in the convex set $\mathcal{R}(\alpha-\iota)$. This implies that $\mathcal{R}(\alpha-\iota)$ is contained in a proper subvector space. The opposite implication is obvious.

III. PREFERENCES

Usually preferences are expressed as a relation on Ω for each consumer. What we will do is to define a function S on $\bar{\mathcal{A}} \times \bar{\mathcal{A}}$ with values in \mathcal{C} . To every ordered pair α, β , we have a coalition $A = S(\alpha, \beta)$. In the interpretation $S(\alpha, \beta)$ is the set of consumers who prefer α to β or are indifferent between them. The set $S(\alpha, \beta)$ will be the union of the disjoint sets $P(\alpha, \beta)$ and $I(\alpha, \beta)$, where $P(\alpha, \beta) = S(\alpha, \beta) \setminus S(\beta, \alpha)$

and $I(\alpha, \beta) = S(\alpha, \beta) \cap S(\beta, \alpha)$. $P(\alpha, \beta)$ is the set of consumers who prefer α to β , and $I(\alpha, \beta)$ is the set of indifferent consumers. We will also use the following notation

$$\alpha \underset{A}{\gg} \beta \quad \text{if} \quad A \subseteq P(\alpha, \beta) \quad \text{and} \quad A \neq \emptyset.$$

The interpretation of this notation should be obvious.

IV. PREFERRED ALLOCATIONS

We will now define the functions P and P_0 . P is defined on $\bar{\mathcal{A}} \times \mathcal{C}$ and has values in the set of subsets of $\bar{\mathbb{R}}^l$. ($\bar{\mathbb{R}} = \mathbb{R} \cup \{+\infty\}$.) Precisely,

$$P(\alpha, A) = \{x \in \bar{\mathbb{R}}^l \mid x = \beta(A) - \iota(A); \beta \in \bar{\mathcal{A}}; \beta \underset{A}{\gg} \alpha\} \text{ for } A \neq \emptyset$$

and $P(\alpha, \emptyset) = \{0\}$.

$P(\alpha, A)$ is the range of the net trade of A , when we let the allocation β vary over the set of allocations preferred to α by coalition A . $P(\alpha, A) + \{\iota(A)\}$ is for the given coalition A "the set of points above the coalition indifference surface through $\alpha(A)$."

The only difference between $P(\alpha, A)$ and $P_0(\alpha, A)$ is that in the definition of P_0 we only allow β to vary over the set $\bar{\mathcal{A}}_0$ of non-atomic σ -finite vector-measures. Thus

$$P_0(\alpha, A) = \{x \in \bar{\mathbb{R}} \mid x = \beta(A) - \iota(A); \beta \in \bar{\mathcal{A}}_0; \beta \underset{A}{\gg} \alpha\}$$

for $A \neq \emptyset$ and $P_0(\alpha, \emptyset) = \{0\}$.

We will also need the following concepts:

$$P(\alpha) = \bigcup_{\substack{A \in \mathcal{L} \\ A \neq \emptyset}} P(\alpha, A) = \{x \mid x = \beta(A) - \iota(A); \beta \in \bar{\mathcal{A}}; \beta \succ_A \alpha; \alpha \in \mathcal{L}\}$$

$$\text{and } P_0(\alpha) = \bigcup_{\substack{A \in \mathcal{L} \\ A \neq \emptyset}} P_0(\alpha, A) = \{x \mid x = \beta(A) - \iota(A); \beta \in \bar{\mathcal{A}}_0; \beta \succ_A \alpha; A \in \mathcal{L}\}.$$

$P(\alpha)$ is the set of points preferred to α , in the sense that any point in $P(\alpha)$ is the net trade for a coalition A with an allocation β preferred to α by A .

$P_0(\alpha)$ is the same as $P(\alpha)$ except that we restrict the allocations to the set of non-atomic allocations. If $x \in P_0(\alpha)$, there exists a non-atomic β and an $A \in \mathcal{L}$ such that $x = \beta(A) - \iota(A)$ and $\beta \succ_A \alpha$.

V. ASSUMPTIONS ON THE PREFERENCES

In the following theorems we need one or more of the following assumptions.

I $\alpha_1^A = \alpha_2^A$ implies that

(a) $S(\alpha_1, \beta) \cap A = S(\alpha_2, \beta) \cap A$ and

(b) $S(\beta, \alpha_1) \cap A = S(\beta, \alpha_2) \cap A$ for all $\beta \in \bar{\mathcal{A}}$.

α_1 and α_2 are two different allocations but $\alpha_1^A = \alpha_2^A$ means that they give the same allocation to every sub-coalition of A . The assumption means that the preferences of A are independent of the values of the allocations outside A . The sets $P(\alpha, A)$ and $P_0(\alpha, A)$ are independent of the allocations α gives to coalitions in the complement of A .

II If $\gamma(B) > \beta(B)$ for all $B \subseteq A$ with $\beta(B) \neq 0$ and $\beta \gg_A \alpha$,
then $\gamma \gg_A \alpha$ and $\gamma \gg_A \beta$.

$\gamma(B) > \beta(B)$ means $\gamma_i(B) \geq \beta_i(B)$ and $\gamma(B) \neq \beta(B)$. The assumption corresponds to the usual assumption of monotonicity of preferences. If allocation γ gives at least the same amount as β to all subcoalitions of A and more of at least one commodity to all subcoalitions of A with $\beta(B) \neq 0$, then A prefers γ to β and to any allocation worse than β . If $x \in P(\alpha, A)$ and $y > 0$, then $x+y \in P(\alpha, A)$ and $\alpha(A) - \iota(A) + y \in P(\alpha, A)$, ($A \neq \emptyset$).

III $P(\alpha, A) + \{\iota(A)\}$ for $A \neq \emptyset$ is open in Ω .

This assumption corresponds to the assumption that the set of points preferred to any given allocation is an open set. The assumption means that if β is preferred to α by A , then any commodity bundle in a neighborhood of $\beta(A)$ can be allocated to A in such a way that the new allocation still is preferred to α by A .

The assumptions have some useful implications for the concepts we have just introduced.

LEMMA 2. Let $\alpha \in B_0$, and let Assumption II hold, then
 $R(\alpha - \iota) \subseteq \overline{P(\alpha)}$.

Proof. We have to prove that $P(\alpha - \iota)$ is contained in the adherence $\overline{P(\alpha)}$ of $P(\alpha)$. But this is obvious, when we make

the monotonicity assumption; if $\alpha(A) - \iota(A)$ is a point in $\mathcal{R}(\alpha - \iota)$, then all points $\alpha(A) - \iota(A) + y$, where $0 \neq y \in \Omega$ is the value of a net trade preferred by A to α .

LEMMA 3. Let $\alpha \in \mathcal{B}_0$, and let Assumptions I and II hold, then $\mathcal{P}(\alpha) = \mathcal{P}_0(\alpha)$.

Proof. $\mathcal{P}_0(\alpha) \subseteq \mathcal{P}(\alpha)$ is obvious.

$\mathcal{P}_0(\alpha) \supseteq \mathcal{P}(\alpha)$. Assume that $\beta \in \bar{\mathcal{A}} \setminus \bar{\mathcal{A}}_0$, with $\beta(A) - \iota(A) \in \mathcal{P}(\alpha)$ and $\beta \gg \alpha$; we have to prove that $\beta(A) - \iota(A) \in \mathcal{P}_0(\alpha)$. β has atom(s) ^A in A and by Lemma B in the appendix it has therefore an atom $B_0 \subseteq A$ with $\alpha(B_0) = \iota(B_0) = 0$; now $\beta(B_0) \in \Omega$ and can be "added" to the allocation β for the coalition $A \setminus B_0$ to give a new allocation γ with $\gamma(A \setminus B_0) = \beta(A \setminus B_0) + \beta(B_0) = \beta(A)$ and $\gamma(B) > \beta(B)$ for all $B \subseteq A \setminus B_0$ with $\beta(B) \neq 0$. We know that $\beta \gg \alpha$, and we can therefore ^{$A \setminus B_0$} apply Assumption II and get $\gamma \gg \alpha$; but $\gamma(A \setminus B_0) - \iota(A \setminus B_0) = \beta(A) - \iota(A) \in \mathcal{P}(\alpha)$. ^{$A \setminus B_0$} The same procedure can be applied to all the atoms for β and we get finally a non-atomic allocation with a preferred net trade equal to $\beta(A) - \iota(A)$; $\beta(A) - \iota(A)$ is therefore also an element in $\mathcal{P}_0(\alpha)$. In intuitive terms, we have distributed the allocation for the atoms, over the non-atomic part of the coalition, and this gives the non-atomic part a preferred allocation.

For the sets $\mathcal{P}_0(\alpha, A)$ and $\mathcal{P}_0(\alpha)$, we are now able to prove the basic

THEOREM 2. Assumption I implies that $\mathcal{P}_0(\alpha, A)$ and $\mathcal{P}_0(\alpha)$ are convex. ($\alpha \in \mathcal{B}_0$, $A \in \mathcal{L}$)

Proof. We just have to check that $P_o(\alpha, A)$ as a function of A has the properties of the function F in lemma A in the appendix.

$$1) \quad P_o(\alpha, \phi) = \{0\} \text{ is clear.}$$

$$2) \quad P_o(\alpha, A \cup B) = P_o(\alpha, A) + P_o(\alpha, B) \text{ for } A \cap B = \phi.$$

This is a consequence of Assumption I.

$$3) \quad P_o(\alpha, \bigcup_{i=1}^{\infty} A_i) = \sum P_o(\alpha, A_i), \quad A_i \cap A_j = \phi \text{ for } i \neq j.$$

The only extra problem here is to make sure that the addition on the right side is possible. $P_o(\alpha, A)$ is bounded from below in each coordinate by $-v(C)$, so this point is also obvious.

4) This follows from the σ -additivity of the β 's in the definition of $P_o(\alpha, A)$.

The non-atomicity of P_o is a consequence of the non-atomicity of \bar{A}_o in the definition of P_o .

VI. CLASSES OF ALLOCATIONS IN A NON-ATOMIC EXCHANGE ECONOMY

All the concepts defined and used can be derived from the basic concepts $C, \Omega, \mathcal{C}, \mathcal{A}, v$ and S . $\mathcal{E} = (C, \Omega, \mathcal{C}, \mathcal{A}, v, S)$ is a non-atomic exchange economy with a preference function, if v is non-atomic. \mathcal{B} is the set of possible states of the economy (an $\alpha \in \mathcal{B}$ is an allocation with $\alpha(C) = v(C)$).

In this section we will define two classes of allocations for the economy \mathcal{E} and prove a theorem giving relations between these classes.

A coalition A is blocking for an allocation $\alpha \in \mathcal{A}$ if there exist an allocation $\beta \in \mathcal{A}$ such that $\beta \succ_A \alpha$ and $\beta(A) = \iota(A)$. The meaning of this is that A can get β by re-allocating their own initial allocation and that they prefer β to α . The well-known concept of a Pareto-optimal allocation is related to our definition in the following way: An allocation is Pareto-optimal if C is not a blocking coalition.

A possible allocation is an Edgeworth-allocation if no coalitions are blocking. The set of all Edgeworth-allocations is called \mathcal{A}_E . By definition, $\mathcal{A}_E \subset \mathcal{B}$.

If $0 \in \mathcal{P}(\alpha)$, there exists an A and a β such that $\beta(A) - \iota(A) = 0$ and $\beta \succ_A \alpha$. There exists therefore a blocking allocation if and only if $0 \in \mathcal{P}(\alpha)$. This means that we can characterize \mathcal{A}_E as $\{\alpha \in \mathcal{B} \mid 0 \notin \mathcal{P}(\alpha)\}$.

An allocation $\alpha \in \mathcal{B}$ is a competitive allocation or a Walras-allocation, if there exists a price-vector $p \in \mathbb{R}^b$ such that $p\alpha(A) = p\iota(A)$ for all $A \in \mathcal{C}$ and $p x > 0$ for all $x \in \mathcal{P}(\alpha)$. The set of all Walras-allocations will be denoted \mathcal{A}_W . \mathcal{A}_W may, of course, be empty, and we will always have $\mathcal{A}_W \subset \mathcal{B}$. $p\alpha(A) = p\iota(A)$ means in the interpretation that coalition A can buy the amount $\alpha(A)$ for the money A gets by selling $\iota(A)$. $p x > 0$ for all $x \in \mathcal{P}(\alpha)$ means that no coalitions can buy an allocation preferred to α if the price is p.

We will call \mathcal{E} a positive exchange economy if $\iota(A) \neq 0$ implies $\iota_i(A) \neq 0$ for all i. If a coalition has an initial allocation, it has a positive initial allocation of all commodities.

THEOREM 3. In an exchange economy we have $\mathcal{A}_W \subseteq \mathcal{A}_E$. In a positive, non-atomic exchange economy, where Assumptions I, II and III hold for the preference function, we have $\mathcal{A}_W = \mathcal{A}_E$.

Proof. $\mathcal{A}_W \subseteq \mathcal{A}_E$. Assume $\alpha \in \mathcal{A}_W$; $px > 0$ for $x \in \mathcal{P}(\alpha)$ implies $0 \notin \mathcal{P}(\alpha)$ and therefore $\alpha \in \mathcal{A}_E$.

Remark. This is a very general result; we do not use any assumptions on the preference function, and we do not use the non-atomicity of ι .

$\mathcal{A}_W \supseteq \mathcal{A}_E$. Assume $\alpha \in \mathcal{A}_E$. We will first prove that $\alpha \in \mathcal{B}_0$. By lemma B in the appendix, there exists an atom B with $\iota(B)=0$ if α is not non-atomic. But because of Assumption II, $C \setminus B$ can get and would prefer to get the amount $\alpha(B)$ extra. Therefore $C \setminus B$, where B is any atom for α with $\iota(B) = 0$, is a blocking coalition. This means that $\alpha \in \mathcal{B}_0$. $0 \notin \mathcal{P}(\alpha)$, $\mathcal{P}(\alpha) = \mathcal{P}_0(\alpha)$ (Lemma 3) and $\mathcal{P}_0(\alpha)$ is convex (Theorem 2); there exists therefore a hyperplane H through 0 with normal $p \neq 0$, such that $px \geq 0$ for $x \in \mathcal{P}(\alpha)$. Lemma 2 implies that $\mathcal{R}(\alpha-\iota) \subseteq \overline{\mathcal{P}(\alpha)}$ and therefore $px \geq 0$ for $x \in \mathcal{R}(\alpha-\iota)$. The symmetry of $\mathcal{R}(\alpha-\iota)$ (Theorem 1) gives $px = 0$ for $x \in \mathcal{R}(\alpha-\iota)$. If $px > 0$ for all $x \in \mathcal{P}(\alpha)$, we know that $\alpha \in \mathcal{A}_W$, and the proof would be finished. Assume therefore $px = 0$ for some $x = \beta(A) - \iota(A)$ with $\beta \succ_A \alpha$. We know from the assumption that the initial allocation is positive [$\iota(A) \neq 0$ implies that $\iota_1(A) \neq 0$], that $p\beta(A) = p\iota(A) \neq 0$. At least one $p_1\beta_1(A)$ is therefore non-zero; by Assumption III any point in an ε -neighborhood of $\beta(A)$ is the value of a preferred allocation for A; and this gives the wanted contradiction with the fact that $px \geq 0$ for all $x \in \mathcal{P}(\alpha)$.

APPENDIX

Proof of Lemma A and Lemma B

In this appendix we will state and prove two lemmas used in some of the proofs. Lemma A gives some properties of "non-atomic set-measures." This lemma appears to be extremely important in the investigation of the mathematical properties of non-atomic economies. It can be applied to "preferred net trade" sets, as in this paper, and also to consumption sets and production possibility sets. Lemma B is more technical and compares two vector-measures defined on the same σ -field, one of them non-atomic and the other with atoms.

Definitions. C is an arbitrary set with subsets A, B, \dots . \mathcal{C} is a σ -field of subsets of C . R is the real line. $\bar{R} = R \cup \{+\infty\}$. F is a set-valued set function or a set-measure, when F is a function defined on \mathcal{C} with values in the set of subsets of \bar{R}^k with the properties

- 1) $F(\phi) = \{0\}$.
- 2) $F(A \cup B) = F(A) + F(B)$ for $A \cap B = \phi$.
- 3) $F(\bigcup_1^\infty A_i) = \sum F(A_i)$ for $A_i \cap A_j = \phi, i \neq j$.
- 4) If $+\infty \in F_v(A)$, there exist x_i and A_i ($i = 1, 2, \dots$) with $+\infty > x_i \in F_v(A_i)$; $\bigcup A_i = A$, $A_i \cap A_j = \phi$ for $i \neq j$ and $\sum x_i = +\infty$.

We will first prove some relations between a set-measure and sets of vector-measures. Let \mathcal{M} be the set of all signed σ -finite vector-measures with the property $\mu(A) \in F(A)$ for all $A \in \mathcal{C}$. ($\mathcal{M} = \{\mu \mid \mu(A) \in F(A); A \in \mathcal{C}\}$.) We will prove

first some relations between a set-measure and sets of vector-measures. Let \mathcal{M} be the set of all signed σ -finite vector-measures with the property $\mu(A) \in F(A)$ for all $A \in \mathcal{L}$.

($\mathcal{M} = \{\mu \mid \mu(A) \in F(A); A \in \mathcal{L}\}$). The set \mathcal{M} has the property that if $\mu_i \in \mathcal{M}$, then $\mu \in \mathcal{M}$, where $\mu(B) = \sum \mu_i(A_i \cap B)$; ($C = \bigcup A_i$, $A_i \cap A_j = \emptyset$ for $i \neq j$). On the other hand, it is easily seen that any set with this property defines an F with the properties 1), 2), 3) and 4).

We will assume that $F(A) = \{x \in \bar{R}^k \mid x = \mu(A); \mu \in \mathcal{M}\}$, where \mathcal{M} is as defined above. This will be the case if F is defined by $F(A) = \{\mu(A) \mid \mu \in \mathcal{M}\}$.¹

Define \mathcal{M}_0 as $\mathcal{M}_0 = \{\mu \mid \mu \in \mathcal{M}, \mu \text{ non-atomic}\}$. We can not be sure that $F(A) = \{x \in \bar{R}^k \mid x = \mu(A); \mu \in \mathcal{M}_0\}$; i.e., we cannot be sure that for any A and any $x \in F(A)$ there exists a non-atomic $\mu \in \mathcal{M}$ with $\mu(A) = x$. If F is such that in fact $F(A) = \{x \in \bar{R}^k \mid x = \mu(A); \mu \in \mathcal{M}_0\}$, we will call F non-atomic. Expressed in other words: A is an atom for F if there exists an $x \in F(A)$ such that $x = \mu(A)$ and $\mu \in \mathcal{M}$ implies that A is an atom for μ ; and F is non-atomic if there are no atoms; or F is non-atomic if any $x \in F(A)$ ($A \in \mathcal{L}$, $x \neq 0$) can be expressed as the sum of $x_1 \in F(A_1)$ and $x_2 \in F(A_2)$, where $x_1 \neq 0 \neq x_2$, $A_1 \cup A_2 = A$ and $A_1 \cap A_2 = \emptyset$.

LEMMA A. Let F be a non-atomic set-measure with $F(A) = \{\mu(A) \mid \mu \in \mathcal{M}_0\}$, then $\bigcup_{A \in \mathcal{L}} F(A)$ is convex and $F(A)$ is convex for all $A \in \mathcal{L}$.

¹This assumption will always hold if \mathcal{L} is a separable σ -field. A σ -field is separable if it is generated by a countable family of subsets.

I. Proof that $\bigcup F(A)$ is convex. Let x_1 and x_2 be points in $\bigcup F(A)$; property 4) implies that is enough to treat the case $x_{1v} < +\infty$; $x_{2v} < +\infty$, for $v = 1, 2, \dots, l$. We must then prove that $\lambda x_1 + (1-\lambda)x_2 \in \bigcup F(A)$ for $0 < \lambda < 1$. From the relation between non-atomic set-measures and sets of non-atomic vector-measures, we know that $x_1 = \mu_1(A_1)$ and $x_2 = \mu_2(A_2)$ where μ_1 and $\mu_2 \in \mathcal{M}_0$. We know from Lyapunov's theorem that the range of a non-atomic measure is convex. We apply this theorem to μ_1 , μ_2 and (μ_1, μ_2) and this gives us a $B_1 \subset A_1 \setminus A_2$, a $B_2 \subset A_2 \setminus A_1$, and a $B_3 \subset A_1 \cap A_2$, with $\mu_1(B_1) = \lambda\mu_1(A_1 \setminus A_2)$, $\mu_2(B_2) = (1-\lambda)\mu_2(A_2 \setminus A_1)$, and $\mu_1(B_3) = \lambda\mu_1(A_1 \cap A_2)$ and $\mu_2(B_3) = (1-\lambda)\mu_2(A_1 \cap A_2)$. By defining $B_4 = (A_1 \cap A_2) \setminus B_3$ and $B = B_1 \cup B_2 \cup B_3 \cup B_4$, we get $\mu_2(B_4) = (1-\lambda)\mu_2(A_1 \cap A_2)$. We can now define $\mu \in \mathcal{M}_0$ by $\mu(A) = \mu_1(A \cap (B_1 \cup B_3)) + \mu_2(A \cap (B_2 \cup B_4)) + \mu_3(A \setminus B)$, where μ_3 is any $\mu_3 \in \mathcal{M}_0$. Due to the property of \mathcal{M}_0 mentioned earlier, $\mu \in \mathcal{M}_0$, because μ_1 , μ_2 and μ_3 are. B is an element of \mathcal{C} , and $\mu(B) = \mu_1(B_1 \cup B_3) + \mu_2(B_2 \cup B_4) = \lambda\mu_1(A_1) + (1-\lambda)\mu_2(A_2) = \lambda x_1 + (1-\lambda)x_2$, and the proof of the convexity of $\bigcup F(A)$ is finished.

II. Proof that $F(A)$ is convex. If $0 \in F(A)$ for all A , we will have that $F(A) = \bigcup_{B \in \mathcal{C}} F(A \cap B)$ ($F(A \cap A) = F(A)$ and $F(A \cap B) \subseteq F(A)$). $\bigcup_{B \in \mathcal{C}} F(A \cap B)$ is convex by I. ($F(A \cap B)$ as a function of B is a non-atomic set-measure.) Therefore $F(A)$ is convex for all $A \in \mathcal{C}$.

If $0 \notin F(A)$ for some A , we choose any element $\mu_0 \in \mathcal{M}_0$ and define $G(A) = \{v(A) \mid v = \mu - \mu_0; \mu \in \mathcal{M}_0\}$. We can now apply the first argument to $G(A)$ and as $F(A) = G(A) + \{\mu_0(A)\}$ we will also in this case have that $F(A)$ is convex for all A .

LEMMA B. Let μ and v be two signed vector-measures defined on \mathcal{C} and assume that μ is non-atomic; then any atom for v will contain an atom B_0 with $\mu(B_0) = 0$.

Proof. Assume that B_1 is an atom for v and that $\mu(B_1) = x \neq 0$. Use Lyapunov's theorem to partition $B_1 = B_2 \cup B_2'$ where $\mu(B_2') = \mu(B_2) = \frac{1}{2}x$, $v(B_2) = v(B_1)$ and $v(B_2') = 0$. Repeat the same procedure with B_2 to get a B_3, \dots, B_i, \dots with $\mu(B_3) = \frac{1}{4}x$ and $v(B_3) = v(B_1)$ and with $\mu(B_i) = 1/2^{i-1}x$ and $v(B_i) = v(B_1)$. Now $B_0 = \bigcap_{i=1}^{\infty} B_i$ is the wanted atom. $B_0 \in \mathcal{C}$, $\mu(B_0) = \lim_{n \rightarrow \infty} 2^{-n}x = 0$ and $v(B_0) = v(B_1)$.

Summary of Definitions and Interpretations

Notation	Definition	Interpretation
C	Arbitrary set	Set of consumers
R^l	l -dimensional Euclidean space	
Ω	Non-negative orthant of R^l	Commodity space
\mathcal{C}	σ -field of subsets of C	Set of coalitions
\mathcal{A}	Set of finite vector-measures defined on \mathcal{C}	Set of allocations
\mathcal{F}	Set of σ -finite vector-measures defined on \mathcal{C}	

Notation	Definition	Interpretation
ι	$\iota \in \mathcal{A}$ and $\iota_i(C) > 0$ for $i = 1, 2, \dots, l$	Initial allocation
\mathcal{B}	$\{\alpha \in \mathcal{A} \mid \alpha(C) = \iota(C)\}$	Possible allocations
\mathcal{A}_0	$\{\alpha \in \mathcal{A} \mid \alpha \text{ non-atomic}\}$	
$\bar{\mathcal{A}}_0$	$\{\alpha \in \bar{\mathcal{A}} \mid \alpha \text{ non-atomic}\}$	
\mathcal{B}_0	$\mathcal{A}_0 \cap \mathcal{B}$	
U	$\{x \in \Omega \mid x_i \leq \iota_i(C)\}$	Range of possible allocations
$\mathcal{R}(\alpha)$	$\{x \in \Omega \mid x = \alpha(A); A \in \mathcal{C}\}$	Range of allocation α
$\mathcal{R}(\alpha, \beta)$	$\{x \in \Omega \times \Omega \mid x = (\alpha(A), \beta(A)); A \in \mathcal{C}\}$	
$\mathcal{R}(\alpha - \iota)$	$\{x \in \mathbb{R}^l \mid x = \alpha(A) - \iota(A); A \in \mathcal{C}\}$	Range of net trade
$S(\alpha, \beta)$	$S: \bar{\mathcal{A}} \times \bar{\mathcal{A}} \rightarrow \mathcal{C}$	The set of consumers which prefers α to β or is indifferent.
$P(\alpha, \beta)$	$S(\alpha, \beta) \setminus S(\beta, \alpha)$	The set of consumers which prefers α to β .
$I(\alpha, \beta)$	$S(\alpha, \beta) \cap S(\beta, \alpha)$	The set of consumers which is indifferent.
$\alpha \succ_A \beta$	$A \subseteq P(\alpha, \beta); A \neq \emptyset$	All consumers in A prefer α to β .
$\mathcal{P}(\alpha, A)$	$\begin{cases} \{x \in \mathbb{R}^l \mid x = \beta(A) - \iota(A); \\ \beta \succ_A \alpha; \beta \in \bar{\mathcal{A}}\} & \text{for } A \neq \emptyset \\ \{0\} & \text{for } A = \emptyset \end{cases}$	Range of net trade for A with preferred allocations.
$\mathcal{P}_0(\alpha, A)$	$\begin{cases} \{x \in \mathbb{R}^l \mid x = \beta(A) - \iota(A); \\ \beta \succ_A \alpha; \beta \in \bar{\mathcal{A}}_0\} & \text{for } A \neq \emptyset \\ \{0\} & \text{for } A = \emptyset \end{cases}$	Range of net trade for A with preferred non-atomic allocations.
$\mathcal{P}(\alpha)$	$\bigcup_{A \in \mathcal{C}; A \neq \emptyset} \mathcal{P}(\alpha, A)$	Range of net trade with allocation preferred to α .
$\mathcal{P}_0(\alpha)$	$\bigcup_{A \in \mathcal{C}; A \neq \emptyset} \mathcal{P}_0(\alpha, A)$	Range of net trade with non-atomic allocation preferred to α .

Notation	Definition	Interpretation
A_E	$\{\alpha \in B \mid 0 \notin P(\alpha)\}$	Set of Edgeworth-allocations
A_W	$\{\alpha \in B \mid px = 0 \text{ for } x \in R(\alpha-1);$ $px > 0 \text{ for } x \in P(\alpha), \text{ for}$ $\text{some } p \in R^l; p \neq 0\}$	Set of Walras-allocations

REFERENCES

- [1] Aumann, R. J., "Markets with a continuum of traders I & II." Econometric Research Program, Research Memorandum Nos. 39 & 40, Princeton University, 1962.
- [2] Debreu, G., "On a theorem of Scarf." The Review of Economic Studies, Vol. 30, 1962-63.
- [3] Debreu, G. and H. Scarf, "A Limit Theorem on the Core of an Economy." International Economic Review, Sept., 1963.
- [4] Halmos, P. R., "The Range of a Vector-Measure." Bull. Amer. Math. Soc., Vol. 4, 1948, pp. 416-421.
- [5] Scarf, H., "An Analysis of Markets with a Large Number of Participants." Recent Advances in Game Theory, The Princeton University Conference, 1962.

BASIC DISTRIBUTION LIST
Nonr-222(77), NR-047-029
University of California

University of Chicago
Statistical Research Center
Chicago, Illinois
Attn: Prof. Paul Meier

Stanford University
Applied Math. and Stat. Lab.
Stanford, California
Attn: Prof. G. J. Lieberman

University of Minnesota
Dept. of Statistics
Minneapolis, Minnesota
Attn: Prof. I. R. Savage

Florida State University
Dept. of Statistics
Tallahassee, Florida
Attn: Dr. R. A. Bradley

Princeton University
Dept. of Mathematics
Princeton, New Jersey
Attn: Prof. S. S. Wilks

Columbia University
Dept. of Mathematical
Statistics
New York 27, New York
Attn: Prof. T.W. Anderson

University of California
Dept. of Statistics
Berkeley 4, California
Attn: Prof. J. Neyman

University of Washington
Dept. of Mathematics
Seattle 5, Washington
Attn: Prof. Z. W. Birnbaum

Cornell University
Dept. of Mathematics
Ithaca, New York
Attn: Prof. J. Wolfowitz

Columbia University
Dept. of Industrial Engineering
New York 27, New York
Attn: Prof. Cyrus Derman

University of Minnesota
Dept. of Statistics
Minneapolis, Minnesota
Attn: Prof. Ingram Olkin

Columbia University
Dept. of Mathematics
New York 27, New York
Attn: Prof. H. Robbins

New York University
Institute of Mathematical Sciences
New York 3, New York
Attn: Prof. W. M. Hirsch

Cornell University
Dept. of Plant Breeding
Biometrics Unit
Ithaca, New York
Attn: Walter T. Federer

University of North Carolina
Statistics Department
Chapel Hill, North Carolina
Attn: Prof. Walter L. Smith

Rutgers - The State University
Statistics Center
New Brunswick, New Jersey
Attn: Prof. Martin B. Wilk

Michigan State University
Dept. of Statistics
East Lansing, Michigan
Attn: Prof. Herman Rubin

Brown University
Division of Applied Mathematics
Providence 12, Rhode Island
Attn: Prof. M. Rosenblatt

Harvard University
Dept. of Statistics
Cambridge, Massachusetts
Attn: Prof. W. G. Cochran

University of California
Management Sciences
Research Project
Los Angeles 24, Calif.
Attn: Dr. J. R. Jackson

The Research Triangle Inst.
Stat. Research Division
505 West Chapel Hill St.
Durham, North Carolina
Attn: Dr. M.R. Leadbetter

Columbia University
Dept. of Indust. Engr.
New York 27, New York
Attn: Prof. S.B. Littauer

University of Michigan
Dept. of Mathematics
Ann Arbor, Michigan
Attn: Prof. L. J. Savage

Carnegie Inst. of Technology
Grad. Sch. of Ind. Admn.
Schenley Park
Pittsburgh 13, Penn.
Attn: Prof. G.L. Thompson

The George Washington Univ.
Dept. of Statistics
Washington, D.C.
Attn: Prof. Harold Bright

Stanford University
Dept. of Mathematics
Stanford, California
Attn: Prof. S. Karlin

Stanford University
Dept. of Statistics
Stanford, California
Attn: Prof. C. Stein

Logistics Research Project
The George Washington Univ.
707 22nd St, N.W.
Washington 7, D.C.
Attn: Dr. W. H. Marlow

Cornell University
Industrial and Engineering
Administration
Ithaca, New York
Attn: Prof. Henry P. Goode

University of Wisconsin
Dept. of Statistics
Madison, Wisconsin
Attn: Prof. G.E.P. Box

Stanford University
Dept. of Economics
Stanford, California
Attn: Prof. K. J. Arrow

Institute of Mathematical
Statistics
University of Copenhagen
Copenhagen, Denmark
Attn: Prof. Anders Hald

Cowles Commission for Research
in Economics
Yale University
New Haven, Connecticut
Attn: Prof. T. C. Koopmans

Mass. Inst. of Technology
Cambridge, Massachusetts
Attn: Dr. R. A. Howard

Brown University
Dept. of Mathematics
Providence 12, Rhode Island
Attn: Prof. David Gale

The John Hopkins University
Dept. of Math. Statistics
34th and Charles Streets
Baltimore 18, Maryland
Attn: Prof. Geoffrey S. Watson

Northwestern University
Dept. of Mathematics
Evanston, Illinois
Attn: Dr. A. Charnes

Purdue University
Dept. of Economics
Lafayette, Indiana
Attn: Dr. Stanley Reiter

Princeton University
Dept. of Mathematics
Princeton, New Jersey
Attn: Prof. A. W. Tucker

University of Maryland
Mathematics Department
College Park, Maryland
Attn: Prof. L. W. Cohen

University of California
Dept. of Economics
Berkeley, California
Attn: Dr. Roy Radner

University of California
Dept. of Engineering
Los Angeles 24, California
Attn: R. R. O'Neill

Arthur D. Little, Inc.
30 Memorial Drive
Cambridge 42, Mass.
Attn: Mr. J. C. Hetrick

University of California
Institute of Engrg. Research
Berkeley 4, California
Attn: Prof. G. B. Dantzig

Case Institute of Technology
Systems Research Center
Cleveland, Ohio
Attn: Dr. Raymond Nelson,
Acting Director

Applied Math. and Stat. Lab.
Dept. of Statistics
Stanford University
Stanford, California
Attn: Prof. H. Solomon

Case Institute of Technology
Operations Research Group
Cleveland, Ohio
Attn: Prof. R. L. Ackoff

The Inst. of Mngmt. Sciences
Box 626
Ann Arbor, Michigan
Attn: Prof. R. M. Thrall

IBM Corporation
P.O. Box 218, Lamb Estate
Yorktown Heights, N.Y.
Attn: Dr. Ralph Gomory,
Research Center

Cornell University
Dept. of Indust. and Eng. Admn.
Ithaca, New York
Attn: Dr. Donald L. Iglehart

Princeton University
Dept. of Econ. and Soc.
Princeton, New Jersey
Attn: Prof. O. Morgenstern

University of Minnesota
School of Bus. Admn.
Minneapolis, Minnesota
Attn: Prof. Leonid Hurwicz,
Dept. of Economics

BASIC DISTRIBUTION LIST FOR UNCLASSIFIED TECHNICAL REPORTS

Head, Logistics and Mathematical Statistics Branch Office of Naval Research Washington 25, D.C.	3 copies
Commanding Officer Office of Naval Research Branch Office Navy 100 Fleet Post Office New York, New York	2 copies
ASTIA Document Service Center Arlington Hall Station Arlington 12, Virginia	10 copies
Defense Logistics Studies Information Exchange Army Logistics Management Center Fort Lee, Virginia Attn: William B. Whichard	1 copy
Technical Information Officer Naval Research Laboratory Washington 25, D.C.	6 copies
Commanding Officer Office of Naval Research Branch Office 346 Broadway New York 13, New York Attn: J. Laderman	1 copy
Commanding Officer Office of Naval Research Branch Office 1030 East Green Street Pasadena 1, California Attn: Dr. A. R. Laufer	1 copy
Bureau of Supplies and Accounts Code OW Department of the Navy Washington 25, D.C.	1 copy
Institute for Defense Analyses Communications Research Division von Neumann Hall Princeton, New Jersey	1 copy